

	L #	Hits	Search Text	DBs	Time Stamp
1	L1	302168	ink	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 11:55
2	L2	22944	pseudoplastic\$3 or pseudo?plastic\$3 or shear?thinning or shear adj thinning or thixotrop\$2	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 11:56
3	L3	10795	viscosity near10 (rpm or min)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 12:04
4	L4	193	1 and 2 and 3	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 12:03
5	L5	13334	(mica or aluminum) near5 coat\$3 near5 (iron or titanium or metal)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 12:04
6	L6	9739	glass near5 coat\$3 near5 metal	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 12:04
7	L8	121	viscosity near10 "1" adj rpm	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 12:28
8	L7	70	1 and 2 and (5 or 6)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 12:09
9	L9	323	(smoothness or roughness) near5 mark	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 12:09

	L #	Hits	Search Text	DBs	Time Stamp
10	L10	26	1 and 8	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 12:13
11	FAMILY	1	US-5474603-A.DID.	DERWENT	2001/10/04 12:13
12	L12	23	1 and 9	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 12:14
13	L13	4613	1 and surface adj (smoothness or roughness)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 12:18
14	L14	1	(5 or 6) near10 measur\$3 near10 (smoothness or roughness)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 12:25
15	L15	130	(5 or 6) and 13	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 12:16
16	L16	3856	pigment same surface near5 (smooth\$4 or rough\$4)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 12:19
17	L17	373	(5 or 6) same surface near5 (smooth\$4 or rough\$4)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 12:19
18	L19	976	1 and 16	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 12:19

	L #	Hits	Search Text	DBs	Time Stamp
19	L18	35	(pigment or colorant or dye) near10 cover\$3 near10 (5 or 6)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 12:20
20	L20	50	1 and 17	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 12:22
21	L21	158	19 and 1.ti.	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 12:22
22	L22	78	(pigment or 5 or 6) near10 (measur\$3 or degree or micron or nm or nanometer or um! or mu) near10 (smoothness or roughness)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 12:26
23	L23	72	viscosity near10 0?5 adj rpm	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 12:51
24	L24	6	8 and 23	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 12:50
25	L25	8	1 and 23	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 12:51

	L #	Hits	Search Text	DBs	Time Stamp
1	L1	4306	glittering or glittery or glitter or sparkling or sparkly	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 07:40
2	L2	302168	ink	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 07:40
3	L4	0	refsx?2015ps or refsx?2025ps or refsx?2040ps or refsx adj (2015ps or 2025ps or 2040ps)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 11:39
4	L5	191	gf2125 or gf2125-m or gf2140 or gf2525 or gf2540 or gf250 or gf1345 or gf1445 or gf adj ("2125" or "2140" or "2525" or "2540" or "250" or "1345" or "1445")	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 07:42
5	L6	0	wxm adj (u75c or "5422" or "1440" or "1415")	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 11:26
6	L7	579	"12000" or "12002" or "12020" or "12025" or "16001" or 1?2000 or 1?6000 or 1?3000 or 1 adj ("2000" or "2002" or "2020" or "2025" or "6001" or "6000" or "3000" or "3001")	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 07:44
7	L8	13334	(mica or aluminum) near5 coat\$3 near5 (iron or titanium or metal)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 07:45
8	L10	9739	glass near5 coat\$3 near5 metal	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 07:45
9	L3	6	metashine or cyrstal adj color or paliocrom	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 07:46

	L #	Hits	Search Text	DBs	Time Stamp
10	L11	51	2 and (5 or 7)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 07:47
11	L12	6	pigment same (5 or 7)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 07:48
12	L13	28	1 near5 2	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 07:51
13	FAMILY	1	EP-1038931-\$.DID.	DERWENT	2001/10/04 07:50
14	L15	2037	2 and (8 or 10)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 07:52
15	L16	326979	particle adj (size or diameter)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 07:52
16	L17	331	15 and (pigment or 8 or 10) same 16	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 08:21
17	FAMILY	1	JP-08143809-\$.DID.	DERWENT	2001/10/04 08:19
18	L26	5	ep-600205-\$.did. or ep-562329-\$.did. or gb-2055879-\$.did. or jp-04093206-\$.did.	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 08:39
19	L27	4	ep-328906-\$.did. or wo-9104293-\$.did.	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 08:40

	L #	Hits	Search Text	DBs	Time Stamp
20	L28	34	(("5556527") or ("5445671") or ("3331699") or ("5436077") or ("4755229") or ("4323554") or ("5277711") or ("3087828") or ("3553001") or ("3711308") or ("4978394") or ("4158074")).PN.	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 08:44
21	L29	22	(8 or 10) near10 smoothness	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 08:45
22	L30	67	(8 or 10) same smoothness	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 08:46
23	L31	15	pigment near10 smoothness near10 (micron or um or nm or nanometer or mu)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 10:37
24	L32	445	ink same (8 10)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 08:49
25	L35	224	15 and (marker or ball?point or writing)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 11:05
26	L37	60	2 and iriodin	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 09:00
27	L38	17	("4509982"   "4545818"   "5466283"   "5702510"   "5767172"   "5785746"   "5990201").PN.	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 08:58
28	L39	1	38 and (8 10 irodin pearlescent pearl luster)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 09:00

	L #	Hits	Search Text	DBs	Time Stamp
29	L40	1	38 and (8 10 iriodin pearlescent pearl luster)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 09:00
30	L41	2	jp-10178110-\$.did.	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 09:01
31	L42	116	asami.in. and ink	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 09:01
32	L43	14	iriodin and (marker or ball?point or writing)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 10:28
33	L45	5	sparkle near5 ink	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 10:27
34	FAMILY	1	CA-871034-\$.DID.	DERWENT	2001/10/04 10:26
35	L47	19	(8 or 10) near10 roughness	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 10:27
36	L48	0	iriodin near10 roughness	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 10:28
37	L44	212	(1 or sparkle) near5 (colorant or pigment)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 10:28

	L #	Hits	Search Text	DBs	Time Stamp
38	L49	37	1 and 2 and (8 or 10)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 10:36
39	L50	22	surface adj coating adj ratio	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 10:38
40	L51	24	pigment near10 roughness near10 (micron or um or nm or nanometer or mu)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 10:38
41	L52	83	elionix or era?8000	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 10:39
42	L53	32	pigment near10 (smoothness or roughness) near10 diameter	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 10:41
43	L54	111	pigment near10 (smoothness or roughness) and pigment near10 diameter	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 10:42
44	L55	52	54 and 2	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 10:41
45	L56	5	(8 or 10) and pigment near10 (smoothness or roughness) and pigment near10 diameter	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 10:42
46	L57	56	(8 or 10) and pigment near10 (smoothness or roughness)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 10:45



	L #	Hits	Search Text	DBs	Time Stamp
47	L58	109	(pigment or colorant or dye) near10 (8 or 10) near10 (cover\$4 or amount)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 10:51
48	L59	279	colored near5 (8 or 10)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 10:56
49	L60	5	(amount or pecent) near10 (coloring or colored) near5 (8 or 10)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 10:57
50	L61	10	ink and (pearlescent near5 pigment) and viscosity and (pseudoplast\$3 or non?newtonian or non adj2 newtonian or shear adj thinning or shear?thinning or thixotrop\$2)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 11:13
51	L62	1936	ink and thixotrop\$2	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 11:03
52	L63	246	62 and (marker or ball?point or writing)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 11:14
53	L64	1652	ink and viscosity and (pseudoplast\$3 or non?newtonian or non adj2 newtonian or shear adj thinning or shear?thinning or thixotrop\$2)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 11:38
54	L65	116	64 and (8 or 10 or iriodin or pearl or pearlescent)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 11:14
55	L66	25	65 and (marker or ball?point or writing)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 11:17

	L #	Hits	Search Text	DBs	Time Stamp
56	L67	288	64 and (marker or ball?point or writing)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 11:31
57	L68	104	67 and index	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 11:24
58	L70	2	wxmu75c or wxm5422 or wxm1440 or wxm1415 or wxm0630	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 11:27
59	L83	209	index near5 ("1" or "1.5" or "2" or "1.3") near5 (pseudoplast\$3 or non?newtonian or non adj2 newtonian or shear adj thinning or shear?thinning or thixotrop\$2)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 11:46
60	L88	137	index near5 (pseudoplast\$3 or non?newtonian or non adj2 newtonian or shear adj thinning or shear?thinning or thixotrop\$2) near10 (rpm or min)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/04 11:47

	L #	Hits	Search Text	DBs	Time Stamp
1	L1	2	movinyl adj "970"	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/05 10:27
2	L2	0	1 same (mft or minimum)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/05 10:27
3	L3	1	movinyl same (mft or minimum)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/05 10:28
4	L4	2	jp-10279853-\$.did.	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/05 10:29
5	L5	3502	concavo-convex	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/05 10:29
6	L6	1	5 same (glitter\$3 or sparkl\$3)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/05 10:44
7	L7	287	5 same (rough\$4 or smooth\$4)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/05 10:32
8	L8	36	5 near10 (pigment or color\$3 or dye)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/05 10:34
9	L9	35	(measure\$4 or value) near5 5	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/05 10:35

	L #	Hits	Search Text	DBs	Time Stamp
10	L10	116	ink and 5	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/05 10:37
11	L11	669	smoothness near10 (mu or um! or micron or nm or nanomter)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/05 10:39
12	L12	90	ink and 11	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/05 10:39
13	L13	11335	roughness near10 (mu or um! or micron or nm or nanomter)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/05 10:39
14	L14	592	ink and 13	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/05 10:39
15	L15	67	14 and (writing or written)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/05 10:42
16	L16	1451	mica near5 coat\$3 near5 (titanium or iron)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/05 10:43
17	L17	7	16 same (smoothness or roughness or 5)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/05 10:43
18	L18	35	(smoothness or roughness) same (glitter\$3 or sparkl\$3)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/10/05 10:51